




EX1 - Rod Wipers

40%BR.PTFE/Nitrile



Temperature: -30/250F [-34/121C]

Pressure: N/A

Ref.Number	Rod diameter		Nominal Seal Dimensions			Housing Dimensions					
	d1	Tol.	d	D	h	D1	Tol.	D2	Tol.	h1	Tol.
EX1-00250	0.250	+0.000 / -0.002				0.356	+0.000/-0.005	0.436	+0.002 / -0.000	0.144	+0.005 / -0.000
EX1-00312	0.312	+0.000 / -0.002				0.418	+0.000/-0.005	0.498	+0.002 / -0.000	0.144	+0.005 / -0.000
EX1-00375	0.375	+0.000 / -0.002				0.481	+0.000/-0.005	0.561	+0.002 / -0.000	0.144	+0.005 / -0.000
EX1-00437	0.437	+0.000 / -0.002				0.543	+0.000/-0.005	0.623	+0.002 / -0.000	0.144	+0.005 / -0.000
EX1-00500	0.500	+0.000 / -0.002				0.637	+0.000/-0.005	0.766	+0.002 / -0.000	0.195	+0.005 / -0.000
EX1-00500LD	0.500	+0.000 / -0.002				0.606	+0.000/-0.005	0.686	+0.002 / -0.000	0.144	+0.005 / -0.000
EX1-00562	0.562	+0.000 / -0.002				0.699	+0.000/-0.005	0.828	+0.002 / -0.000	0.195	+0.005 / -0.000
EX1-00562LD	0.562	+0.000 / -0.002				0.668	+0.000/-0.005	0.748	+0.002 / -0.000	0.144	+0.005 / -0.000
EX1-00625	0.625	+0.000 / -0.002				0.762	+0.000/-0.005	0.891	+0.002 / -0.000	0.195	+0.005 / -0.000
EX1-00625LD	0.625	+0.000 / -0.002				0.731	+0.000/-0.005	0.811	+0.002 / -0.000	0.144	+0.005 / -0.000
EX1-00687	0.687	+0.000 / -0.002				0.824	+0.000/-0.005	0.953	+0.002 / -0.000	0.195	+0.005 / -0.000
EX1-00687LD	0.687	+0.000 / -0.002				0.793	+0.000/-0.005	0.873	+0.002 / -0.000	0.144	+0.005 / -0.000
EX1-00750	0.750	+0.000 / -0.002				0.887	+0.000/-0.005	1.016	+0.002 / -0.000	0.195	+0.005 / -0.000
EX1-00750LD	0.750	+0.000 / -0.002				0.856	+0.000/-0.005	0.936	+0.002 / -0.000	0.144	+0.005 / -0.000
EX1-00812	0.812	+0.000 / -0.002				0.949	+0.000/-0.005	1.078	+0.002 / -0.000	0.195	+0.005 / -0.000
EX1-00812LD	0.812	+0.000 / -0.002				0.918	+0.000/-0.005	0.998	+0.002 / -0.000	0.144	+0.005 / -0.000
EX1-00875	0.875	+0.000 / -0.002				1.012	+0.000/-0.005	1.141	+0.002 / -0.000	0.195	+0.005 / -0.000
EX1-00875LD	0.875	+0.000 / -0.002				0.981	+0.000/-0.005	1.061	+0.002 / -0.000	0.144	+0.005 / -0.000
EX1-00937	0.937	+0.000 / -0.002				1.074	+0.000/-0.005	1.203	+0.002 / -0.000	0.195	+0.005 / -0.000
EX1-00937LD	0.937	+0.000 / -0.002				1.043	+0.000/-0.005	1.123	+0.002 / -0.000	0.144	+0.005 / -0.000
EX1-01000	1.000	+0.000 / -0.002				1.137	+0.000/-0.005	1.266	+0.002 / -0.000	0.195	+0.005 / -0.000
EX1-01000LD	1.000	+0.000 / -0.002				1.106	+0.000/-0.005	1.186	+0.002 / -0.000	0.144	+0.005 / -0.000
EX1-01062	1.062	+0.000 / -0.002				1.199	+0.000/-0.005	1.328	+0.002 / -0.000	0.195	+0.005 / -0.000
EX1-01062LD	1.062	+0.000 / -0.002				1.168	+0.000/-0.005	1.248	+0.002 / -0.000	0.144	+0.005 / -0.000
EX1-01125	1.125	+0.000 / -0.002				1.262	+0.000/-0.005	1.391	+0.002 / -0.000	0.195	+0.005 / -0.000
EX1-01125LD	1.125	+0.000 / -0.002				1.231	+0.000/-0.005	1.311	+0.002 / -0.000	0.144	+0.005 / -0.000
EX1-01187	1.187	+0.000 / -0.002				1.324	+0.000/-0.005	1.453	+0.002 / -0.000	0.195	+0.005 / -0.000
EX1-01187LD	1.187	+0.000 / -0.002				1.293	+0.000/-0.005	1.373	+0.002 / -0.000	0.144	+0.005 / -0.000
EX1-01250	1.250	+0.000 / -0.002				1.387	+0.000/-0.005	1.516	+0.002 / -0.000	0.195	+0.005 / -0.000
EX1-01250LD	1.250	+0.000 / -0.002				1.356	+0.000/-0.005	1.436	+0.002 / -0.000	0.144	+0.005 / -0.000
EX1-01312	1.312	+0.000 / -0.002				1.449	+0.000/-0.005	1.578	+0.002 / -0.000	0.195	+0.005 / -0.000
EX1-01312LD	1.312	+0.000 / -0.002				1.418	+0.000/-0.005	1.498	+0.002 / -0.000	0.144	+0.005 / -0.000
EX1-01375	1.375	+0.000 / -0.002				1.512	+0.000/-0.005	1.641	+0.002 / -0.000	0.195	+0.005 / -0.000
EX1-01375LD	1.375	+0.000 / -0.002				1.481	+0.000/-0.005	1.561	+0.002 / -0.000	0.144	+0.005 / -0.000
EX1-01437	1.437	+0.000 / -0.002				1.574	+0.000/-0.005	1.703	+0.002 / -0.000	0.195	+0.005 / -0.000
EX1-01437LD	1.437	+0.000 / -0.002				1.543	+0.000/-0.005	1.623	+0.002 / -0.000	0.144	+0.005 / -0.000

NOTE: MINIMUM LINE ORDER MAY APPLY



EX1 SERIES - BR.PTFE/NBR

INCH SIZE
ROD WIPERS



Ref.Number	Rod diameter		Nominal Seal Dimensions			Housing Dimensions					
	d1	Tol.	d	D	h	D1	Tol.	D2	Tol.	h1	Tol.
EX1-01500	1.500	+ .000 / - .002				1.637	+ .000 / - .005	1.766	+ .002 / - .000	0.195	+ .005 / - .000
EX1-01500LD	1.500	+ .000 / - .002				1.606	+ .000 / - .005	1.686	+ .002 / - .000	0.144	+ .005 / - .000
EX1-01625	1.625	+ .000 / - .002				1.762	+ .000 / - .005	1.891	+ .002 / - .000	0.195	+ .005 / - .000
EX1-01625LD	1.625	+ .000 / - .002				1.731	+ .000 / - .005	1.811	+ .002 / - .000	0.144	+ .005 / - .000
EX1-01750	1.750	+ .000 / - .002				1.887	+ .000 / - .005	2.016	+ .002 / - .000	0.195	+ .005 / - .000
EX1-01750LD	1.750	+ .000 / - .002				1.856	+ .000 / - .005	1.936	+ .002 / - .000	0.144	+ .005 / - .000
EX1-01875	1.875	+ .000 / - .002				2.012	+ .000 / - .005	2.141	+ .002 / - .000	0.195	+ .005 / - .000
EX1-01875LD	1.875	+ .000 / - .002				1.981	+ .000 / - .005	2.061	+ .002 / - .000	0.144	+ .005 / - .000
EX1-02000	2.000	+ .000 / - .002				2.137	+ .000 / - .005	2.266	+ .002 / - .000	0.195	+ .005 / - .000
EX1-02000LD	2.000	+ .000 / - .002				2.106	+ .000 / - .005	2.187	+ .002 / - .000	0.144	+ .005 / - .000
EX1-02125	2.125	+ .000 / - .002				2.262	+ .000 / - .005	2.391	+ .002 / - .000	0.195	+ .005 / - .000
EX1-02125LD	2.125	+ .000 / - .002				2.231	+ .000 / - .005	2.311	+ .002 / - .000	0.144	+ .005 / - .000
EX1-02250	2.250	+ .000 / - .002				2.387	+ .000 / - .005	2.516	+ .002 / - .000	0.195	+ .005 / - .000
EX1-02250LD	2.250	+ .000 / - .002				2.356	+ .000 / - .005	2.436	+ .002 / - .000	0.144	+ .005 / - .000
EX1-02375	2.375	+ .000 / - .002				2.512	+ .000 / - .005	2.641	+ .002 / - .000	0.195	+ .005 / - .000
EX1-02375LD	2.375	+ .000 / - .002				2.481	+ .000 / - .005	2.561	+ .002 / - .000	0.144	+ .005 / - .000
EX1-02500	2.500	+ .000 / - .002				2.637	+ .000 / - .005	2.766	+ .002 / - .000	0.195	+ .005 / - .000
EX1-02500LD	2.500	+ .000 / - .002				2.606	+ .000 / - .005	2.686	+ .002 / - .000	0.144	+ .005 / - .000
EX1-02625	2.625	+ .000 / - .002				2.782	+ .000 / - .005	2.971	+ .002 / - .000	0.240	+ .005 / - .000
EX1-02750	2.750	+ .000 / - .002				2.907	+ .000 / - .005	3.096	+ .002 / - .000	0.240	+ .005 / - .000
EX1-02875	2.875	+ .000 / - .002				3.032	+ .000 / - .005	3.221	+ .002 / - .000	0.240	+ .005 / - .000
EX1-03000	3.000	+ .000 / - .003				3.157	+ .000 / - .005	3.345	+ .002 / - .000	0.240	+ .005 / - .000
EX1-03125	3.125	+ .000 / - .003				3.282	+ .000 / - .005	3.470	+ .002 / - .000	0.240	+ .005 / - .000
EX1-03250	3.250	+ .000 / - .003				3.407	+ .000 / - .005	3.595	+ .002 / - .000	0.240	+ .005 / - .000
EX1-03375	3.375	+ .000 / - .003				3.532	+ .000 / - .005	3.720	+ .002 / - .000	0.240	+ .005 / - .000
EX1-03500	3.500	+ .000 / - .003				3.657	+ .000 / - .005	3.845	+ .002 / - .000	0.240	+ .005 / - .000
EX1-03625	3.625	+ .000 / - .003				3.782	+ .000 / - .005	3.970	+ .002 / - .000	0.240	+ .005 / - .000
EX1-03750	3.750	+ .000 / - .003				3.907	+ .000 / - .005	4.095	+ .002 / - .000	0.240	+ .005 / - .000
EX1-03875	3.875	+ .000 / - .003				4.032	+ .000 / - .005	4.220	+ .002 / - .000	0.240	+ .005 / - .000
EX1-04000	4.000	+ .000 / - .005				4.157	+ .000 / - .005	4.345	+ .002 / - .000	0.240	+ .005 / - .000
EX1-04125	4.125	+ .000 / - .005				4.282	+ .000 / - .005	4.470	+ .002 / - .000	0.240	+ .005 / - .000
EX1-04250	4.250	+ .000 / - .005				4.407	+ .000 / - .005	4.595	+ .002 / - .000	0.240	+ .005 / - .000
EX1-04375	4.375	+ .000 / - .005				4.532	+ .000 / - .005	4.720	+ .002 / - .000	0.240	+ .005 / - .000
EX1-04500	4.500	+ .000 / - .005				4.657	+ .000 / - .005	4.845	+ .003 / - .000	0.240	+ .005 / - .000
EX1-04625	4.625	+ .000 / - .005				4.782	+ .000 / - .005	4.970	+ .003 / - .000	0.240	+ .005 / - .000
EX1-04750	4.750	+ .000 / - .005				4.907	+ .000 / - .005	5.095	+ .003 / - .000	0.240	+ .005 / - .000
EX1-04875	4.875	+ .000 / - .005				5.032	+ .000 / - .005	5.220	+ .003 / - .000	0.240	+ .005 / - .000
EX1-05000	5.000	+ .000 / - .005				5.157	+ .000 / - .005	5.345	+ .003 / - .000	0.240	+ .005 / - .000
EX1-05125	5.125	+ .000 / - .005				5.282	+ .000 / - .005	5.470	+ .003 / - .000	0.240	+ .005 / - .000
EX1-05250	5.250	+ .000 / - .005				5.407	+ .000 / - .005	5.595	+ .003 / - .000	0.240	+ .005 / - .000
EX1-05375	5.375	+ .000 / - .005				5.532	+ .000 / - .005	5.720	+ .003 / - .000	0.240	+ .005 / - .000
EX1-05500	5.500	+ .000 / - .005				5.657	+ .000 / - .005	5.845	+ .003 / - .000	0.240	+ .005 / - .000
EX1-05625	5.625	+ .000 / - .005				5.782	+ .000 / - .005	5.970	+ .003 / - .000	0.240	+ .005 / - .000
EX1-05750	5.750	+ .000 / - .005				5.907	+ .000 / - .005	6.095	+ .003 / - .000	0.240	+ .005 / - .000
EX1-05875	5.875	+ .000 / - .005				6.032	+ .000 / - .005	6.220	+ .003 / - .000	0.240	+ .005 / - .000
EX1-06000	6.000	+ .000 / - .005				6.157	+ .000 / - .005	6.345	+ .003 / - .000	0.240	+ .005 / - .000
EX1-06250	6.250	+ .000 / - .005				6.407	+ .000 / - .005	6.595	+ .003 / - .000	0.240	+ .005 / - .000

NOTE: MINIMUM LINE ORDER MAY APPLY





EX1 SERIES - BR.PTFE/NBR

Ref.Number	Rod diameter		Nominal Seal Dimensions			Housing Dimensions					
	d1	Tol.	d	D	h	D1	Tol.	D2	Tol.	h1	Tol.
EX1-06500	6.500	+ .000 / - .005				6.657	+ .000 / - .005	6.845	+ .003 / - .000	0.240	+ .005 / - .000
EX1-06750	6.750	+ .000 / - .005				6.907	+ .000 / - .005	7.095	+ .003 / - .000	0.240	+ .005 / - .000
EX1-07000	7.000	+ .000 / - .005				7.157	+ .000 / - .005	7.345	+ .003 / - .000	0.240	+ .005 / - .000
EX1-07250	7.250	+ .000 / - .005				7.407	+ .000 / - .005	7.595	+ .003 / - .000	0.240	+ .005 / - .000
EX1-07500	7.500	+ .000 / - .005				7.657	+ .000 / - .005	7.845	+ .003 / - .000	0.240	+ .005 / - .000
EX1-07750	7.750	+ .000 / - .005				7.907	+ .000 / - .005	8.045	+ .003 / - .000	0.240	+ .005 / - .000
EX1-08000	8.000	+ .000 / - .005				8.157	+ .000 / - .005	8.345	+ .005 / - .000	0.240	+ .005 / - .000
EX1-08500	8.500	+ .000 / - .005				8.657	+ .000 / - .005	8.845	+ .005 / - .000	0.240	+ .005 / - .000
EX1-09000	9.000	+ .000 / - .005				9.157	+ .000 / - .005	9.345	+ .005 / - .000	0.240	+ .005 / - .000
EX1-09500	9.500	+ .000 / - .005				9.657	+ .000 / - .005	9.845	+ .005 / - .000	0.240	+ .005 / - .000
EX1-10000	10.000	+ .000 / - .005				10.157	+ .000 / - .005	10.345	+ .005 / - .000	0.240	+ .005 / - .000

EX2 - Rod Wipers

40%BR.PTFE/Nitrile



Temperature: -30/250F [-34/121C]

Pressure: N/A

Ref.Number	Rod diameter		Nominal Seal Dimensions			Housing Dimensions					
	d1	Tol.	d	D	h	D1	Tol.	D2	Tol.	h1	Tol.
EX2-00312	0.312	+ .000 / - .001				0.373	+ .004 / - .000	0.503	+ .001 / - .000	0.146	+ .008 / - .000
EX2-00375	0.375	+ .000 / - .001				0.435	+ .004 / - .000	0.565	+ .001 / - .000	0.146	+ .008 / - .000
EX2-00437	0.437	+ .000 / - .002				0.497	+ .004 / - .000	0.628	+ .002 / - .000	0.146	+ .008 / - .000
EX2-00500	0.500	+ .000 / - .002				0.560	+ .004 / - .000	0.690	+ .002 / - .000	0.146	+ .008 / - .000
EX2-00500HD	0.500	+ .000 / - .002				0.560	+ .004 / - .000	0.770	+ .002 / - .000	0.196	+ .008 / - .000
EX2-00562	0.562	+ .000 / - .002				0.622	+ .004 / - .000	0.753	+ .002 / - .000	0.146	+ .008 / - .000
EX2-00562HD	0.562	+ .000 / - .002				0.622	+ .004 / - .000	0.833	+ .002 / - .000	0.196	+ .008 / - .000
EX2-00625	0.625	+ .000 / - .002				0.685	+ .004 / - .000	0.815	+ .002 / - .000	0.146	+ .008 / - .000
EX2-00625HD	0.625	+ .000 / - .002				0.685	+ .004 / - .000	0.895	+ .002 / - .000	0.196	+ .008 / - .000
EX2-00687	0.687	+ .000 / - .002				0.747	+ .004 / - .000	0.878	+ .002 / - .000	0.146	+ .008 / - .000
EX2-00687HD	0.687	+ .000 / - .002				0.747	+ .004 / - .000	0.958	+ .002 / - .000	0.196	+ .008 / - .000
EX2-00750	0.750	+ .000 / - .002				0.810	+ .005 / - .000	0.940	+ .002 / - .000	0.146	+ .008 / - .000
EX2-00750HD	0.750	+ .000 / - .002				0.810	+ .005 / - .000	1.020	+ .002 / - .000	0.196	+ .008 / - .000
EX2-00812	0.812	+ .000 / - .002				0.872	+ .005 / - .000	1.003	+ .002 / - .000	0.146	+ .008 / - .000
EX2-00812HD	0.812	+ .000 / - .002				0.872	+ .005 / - .000	1.083	+ .002 / - .000	0.196	+ .008 / - .000
EX2-00875	0.875	+ .000 / - .002				0.935	+ .005 / - .000	1.065	+ .002 / - .000	0.146	+ .008 / - .000
EX2-00875HD	0.875	+ .000 / - .002				0.935	+ .005 / - .000	1.145	+ .002 / - .000	0.196	+ .008 / - .000
EX2-00937	0.937	+ .000 / - .002				0.997	+ .005 / - .000	1.128	+ .002 / - .000	0.146	+ .008 / - .000

NOTE: MINIMUM LINE ORDER MAY APPLY



EX2 SERIES - BR.PTFE/NBR

INCH SIZE
ROD WIPERS

Ref.Number	Rod diameter		Nominal Seal Dimensions			Housing Dimensions					
	d1	Tol.	d	D	h	D1	Tol.	D2	Tol.	h1	Tol.
EX2-00937HD	0.937	+ .000 / -.002				0.997	+ .005 / -.000	1.208	+ .002 / -.000	0.196	+ .008 / -.000
EX2-01000	1.000	+ .000 / -.002				1.060	+ .005 / -.000	1.190	+ .002 / -.000	0.146	+ .008 / -.000
EX2-01000HD	1.000	+ .000 / -.002				1.060	+ .005 / -.000	1.270	+ .002 / -.000	0.196	+ .008 / -.000
EX2-01062	1.062	+ .000 / -.002				1.122	+ .005 / -.000	1.333	+ .002 / -.000	0.196	+ .008 / -.000
EX2-01125	1.125	+ .000 / -.002				1.185	+ .005 / -.000	1.395	+ .002 / -.000	0.196	+ .008 / -.000
EX2-01187	1.187	+ .000 / -.002				1.247	+ .006 / -.000	1.458	+ .002 / -.000	0.196	+ .008 / -.000
EX2-01250	1.250	+ .000 / -.002				1.310	+ .006 / -.000	1.520	+ .002 / -.000	0.196	+ .008 / -.000
EX2-01312	1.312	+ .000 / -.002				1.372	+ .006 / -.000	1.583	+ .002 / -.000	0.196	+ .008 / -.000
EX2-01375	1.375	+ .000 / -.002				1.435	+ .006 / -.000	1.645	+ .002 / -.000	0.196	+ .008 / -.000
EX2-01437	1.437	+ .000 / -.002				1.497	+ .006 / -.000	1.708	+ .002 / -.000	0.196	+ .008 / -.000
EX2-01500	1.500	+ .000 / -.002				1.560	+ .006 / -.000	1.770	+ .002 / -.000	0.196	+ .008 / -.000
EX2-01562	1.562	+ .000 / -.002				1.622	+ .006 / -.000	1.833	+ .002 / -.000	0.196	+ .008 / -.000
EX2-01625	1.625	+ .000 / -.002				1.685	+ .006 / -.000	1.895	+ .002 / -.000	0.196	+ .008 / -.000
EX2-01687	1.687	+ .000 / -.002				1.747	+ .006 / -.000	1.958	+ .002 / -.000	0.196	+ .008 / -.000
EX2-01750	1.750	+ .000 / -.002				1.810	+ .006 / -.000	2.020	+ .002 / -.000	0.196	+ .008 / -.000
EX2-01812	1.812	+ .000 / -.002				1.872	+ .006 / -.000	2.083	+ .002 / -.000	0.196	+ .008 / -.000
EX2-01875	1.875	+ .000 / -.002				1.935	+ .006 / -.000	2.145	+ .002 / -.000	0.196	+ .008 / -.000
EX2-01937	1.937	+ .000 / -.002				1.997	+ .006 / -.000	2.208	+ .002 / -.000	0.196	+ .008 / -.000
EX2-02000	2.000	+ .000 / -.003				2.060	+ .007 / -.000	2.270	+ .003 / -.000	0.196	+ .008 / -.000
EX2-02125	2.125	+ .000 / -.003				2.185	+ .007 / -.000	2.395	+ .003 / -.000	0.196	+ .008 / -.000
EX2-02250	2.250	+ .000 / -.003				2.310	+ .007 / -.000	2.520	+ .003 / -.000	0.196	+ .008 / -.000
EX2-02375	2.375	+ .000 / -.003				2.435	+ .007 / -.000	2.645	+ .003 / -.000	0.196	+ .008 / -.000
EX2-02500	2.500	+ .000 / -.003				2.560	+ .007 / -.000	2.770	+ .003 / -.000	0.196	+ .008 / -.000
EX2-02625	2.625	+ .000 / -.003				2.685	+ .007 / -.000	2.895	+ .003 / -.000	0.196	+ .008 / -.000
EX2-02750	2.750	+ .000 / -.003				2.810	+ .007 / -.000	3.020	+ .003 / -.000	0.196	+ .008 / -.000
EX2-02875	2.875	+ .000 / -.003				2.935	+ .007 / -.000	3.145	+ .003 / -.000	0.196	+ .008 / -.000
EX2-03000	3.000	+ .000 / -.003				3.060	+ .007 / -.000	3.270	+ .003 / -.000	0.196	+ .008 / -.000
EX2-03125	3.125	+ .000 / -.003				3.185	+ .007 / -.000	3.395	+ .003 / -.000	0.196	+ .008 / -.000
EX2-03250	3.250	+ .000 / -.003				3.310	+ .009 / -.000	3.520	+ .003 / -.000	0.196	+ .008 / -.000
EX2-03375	3.375	+ .000 / -.003				3.435	+ .009 / -.000	3.645	+ .003 / -.000	0.196	+ .008 / -.000
EX2-03500	3.500	+ .000 / -.003				3.560	+ .009 / -.000	3.770	+ .003 / -.000	0.196	+ .008 / -.000
EX2-03625	3.625	+ .000 / -.003				3.685	+ .009 / -.000	3.895	+ .003 / -.000	0.196	+ .008 / -.000
EX2-03750	3.750	+ .000 / -.003				3.810	+ .009 / -.000	4.020	+ .003 / -.000	0.196	+ .008 / -.000
EX2-03875	3.875	+ .000 / -.003				3.935	+ .009 / -.000	4.145	+ .003 / -.000	0.196	+ .008 / -.000
EX2-04000	4.000	+ .000 / -.003				4.060	+ .009 / -.000	4.270	+ .003 / -.000	0.196	+ .008 / -.000
EX2-04125	4.125	+ .000 / -.003				4.185	+ .009 / -.000	4.395	+ .003 / -.000	0.196	+ .008 / -.000
EX2-04250	4.250	+ .000 / -.003				4.310	+ .009 / -.000	4.520	+ .003 / -.000	0.196	+ .008 / -.000
EX2-04375	4.375	+ .000 / -.003				4.435	+ .009 / -.000	4.645	+ .003 / -.000	0.196	+ .008 / -.000
EX2-04500	4.500	+ .000 / -.003				4.560	+ .009 / -.000	4.770	+ .003 / -.000	0.196	+ .008 / -.000
EX2-04625	4.625	+ .000 / -.003				4.685	+ .009 / -.000	4.895	+ .003 / -.000	0.196	+ .008 / -.000
EX2-04750	4.750	+ .000 / -.004				4.810	+ .010 / -.000	5.020	+ .004 / -.000	0.196	+ .008 / -.000
EX2-04875	4.875	+ .000 / -.004				4.935	+ .010 / -.000	5.145	+ .004 / -.000	0.196	+ .008 / -.000
EX2-05000	5.000	+ .000 / -.004				5.060	+ .010 / -.000	5.270	+ .004 / -.000	0.196	+ .008 / -.000
EX2-05125	5.125	+ .000 / -.004				5.185	+ .010 / -.000	5.395	+ .004 / -.000	0.196	+ .008 / -.000
EX2-05250	5.250	+ .000 / -.004				5.310	+ .010 / -.000	5.520	+ .004 / -.000	0.196	+ .008 / -.000
EX2-05375	5.375	+ .000 / -.004				5.435	+ .010 / -.000	5.645	+ .004 / -.000	0.196	+ .008 / -.000
EX2-05500	5.500	+ .000 / -.004				5.560	+ .010 / -.000	5.770	+ .004 / -.000	0.196	+ .008 / -.000

NOTE: MINIMUM LINE ORDER MAY APPLY






EX2 SERIES - BR.PTFE/NBR

Ref.Number	Rod diameter		Nominal Seal Dimensions			Housing Dimensions					
	d1	Tol.	d	D	h	D1	Tol.	D2	Tol.	h1	Tol.
EX2-05625	5.625	+ .000 / -.004				5.685	+ .010 / -.000	5.895	+ .004 / -.000	0.196	+ .008 / -.000
EX2-05750	5.750	+ .000 / -.004				5.810	+ .010 / -.000	6.020	+ .004 / -.000	0.196	+ .008 / -.000
EX2-06000	6.000	+ .000 / -.004				6.060	+ .010 / -.000	6.270	+ .004 / -.000	0.196	+ .008 / -.000
EX2-06000HD	6.000	+ .000 / -.004				6.060	+ .010 / -.000	6.345	+ .004 / -.000	0.236	+ .008 / -.000
EX2-06250	6.250	+ .000 / -.004				6.310	+ .010 / -.000	6.595	+ .004 / -.000	0.236	+ .008 / -.000
EX2-06500	6.500	+ .000 / -.004				6.560	+ .010 / -.000	6.845	+ .004 / -.000	0.236	+ .008 / -.000
EX2-06750	6.750	+ .000 / -.004				6.810	+ .010 / -.000	7.095	+ .004 / -.000	0.236	+ .008 / -.000
EX2-07000	7.000	+ .000 / -.004				7.060	+ .010 / -.000	7.345	+ .004 / -.000	0.236	+ .008 / -.000
EX2-07250	7.250	+ .000 / -.005				7.310	+ .011 / -.000	7.595	+ .005 / -.000	0.236	+ .008 / -.000
EX2-07500	7.500	+ .000 / -.005				7.560	+ .011 / -.000	7.845	+ .005 / -.000	0.236	+ .008 / -.000
EX2-07750	7.750	+ .000 / -.005				7.810	+ .011 / -.000	8.095	+ .005 / -.000	0.236	+ .008 / -.000
EX2-08000	8.000	+ .000 / -.005				8.060	+ .011 / -.000	8.345	+ .005 / -.000	0.236	+ .008 / -.000
EX2-08250	8.250	+ .000 / -.005				8.310	+ .011 / -.000	8.595	+ .005 / -.000	0.236	+ .008 / -.000
EX2-08500	8.500	+ .000 / -.005				8.560	+ .011 / -.000	8.845	+ .005 / -.000	0.236	+ .008 / -.000
EX2-08750	8.750	+ .000 / -.005				8.810	+ .011 / -.000	9.095	+ .005 / -.000	0.236	+ .008 / -.000
EX2-09000	9.000	+ .000 / -.005				9.060	+ .011 / -.000	9.345	+ .005 / -.000	0.236	+ .008 / -.000
EX2-09250	9.250	+ .000 / -.005				9.310	+ .011 / -.000	9.595	+ .005 / -.000	0.236	+ .008 / -.000
EX2-09500	9.500	+ .000 / -.005				9.560	+ .011 / -.000	9.845	+ .005 / -.000	0.236	+ .008 / -.000
EX2-09750	9.750	+ .000 / -.005				9.810	+ .011 / -.000	10.095	+ .005 / -.000	0.236	+ .008 / -.000
EX2-10000	10.000	+ .000 / -.005				10.060	+ .013 / -.000	10.345	+ .005 / -.000	0.236	+ .008 / -.000
EX2-10000HD	10.000	+ .000 / -.005				10.080	+ .013 / -.000	10.480	+ .005 / -.000	0.332	+ .008 / -.000

EX5 - Rod Wipers 40%BR.PTFE/Nitrile



Temperature: -30/250F [-34/121C]

Pressure: N/A

Ref.Number	Rod diameter		Nominal Seal Dimensions			Housing Dimensions					
	d1	Tol.	d	D	h	D1	Tol.	D2	Tol.	h1	Tol.
EX5-01500	1.500	+ .000 / -.002				1.560	+ .006 / -.000	1.846	+ .002 / -.000	0.248	+ .008 / -.000
EX5-02000	2.000	+ .000 / -.003				2.060	+ .007 / -.000	2.346	+ .003 / -.000	0.248	+ .008 / -.000
EX5-02500	2.500	+ .000 / -.003				2.560	+ .007 / -.000	2.846	+ .003 / -.000	0.248	+ .008 / -.000
EX5-03000	3.000	+ .000 / -.003				3.080	+ .007 / -.000	3.480	+ .003 / -.000	0.319	+ .008 / -.000
EX5-03500	3.500	+ .000 / -.003				3.580	+ .009 / -.000	3.980	+ .003 / -.000	0.319	+ .008 / -.000
EX5-04000	4.000	+ .000 / -.003				4.080	+ .009 / -.000	4.480	+ .003 / -.000	0.319	+ .008 / -.000

NOTE: MINIMUM LINE ORDER MAY APPLY



EX5 SERIES - BR.PTFE/NBR

Ref.Number	Rod diameter		Nominal Seal Dimensions			Housing Dimensions					
	d1	Tol.	d	D	h	D1	Tol.	D2	Tol.	h1	Tol.
EX5-04500	4.500	+ .000 / -.003				4.580	+ .009 / -.000	4.980	+ .004 / -.000	0.319	+ .008 / -.000
EX5-05000	5.000	+ .000 / -.004				5.080	+ .010 / -.000	5.480	+ .004 / -.000	0.319	+ .008 / -.000
EX5-05500	5.500	+ .000 / -.004				5.600	+ .010 / -.000	6.130	+ .004 / -.000	0.374	+ .008 / -.000
EX5-06000	6.000	+ .000 / -.004				6.100	+ .010 / -.000	6.630	+ .004 / -.000	0.374	+ .008 / -.000
EX5-06500	6.500	+ .000 / -.004				6.600	+ .010 / -.000	7.130	+ .005 / -.000	0.374	+ .008 / -.000
EX5-07000	7.000	+ .000 / -.004				7.100	+ .011 / -.000	7.630	+ .005 / -.000	0.374	+ .008 / -.000
EX5-08000	8.000	+ .000 / -.005				8.100	+ .011 / -.000	8.630	+ .005 / -.000	0.374	+ .008 / -.000
EX5-09000	9.000	+ .000 / -.005				9.100	+ .011 / -.000	9.630	+ .005 / -.000	0.374	+ .008 / -.000
EX5-10000	10.000	+ .000 / -.005				10.100	+ .013 / -.000	10.630	+ .005 / -.000	0.374	+ .008 / -.000

INCH SIZE
ROD WIPERS



NOTE: MINIMUM LINE ORDER MAY APPLY