





## H - Rod Wipers

**Polyurethane AU 90A**  
**Nitrile**  
**FPM**



**AU: Temperature: -40/189F [ -40/87C ]**  
**NBR: Temperature: -40/250F [ -40/121C ]**

**FPM: Temperature: -20/400F [ -28/204C ]**  
**Pressures: N/A**

Ref.Number	Rod diameter		Nominal Seal Dimensions			Housing Dimensions					
		Tol	d	D	h	d1	Tol	D1	Tol	h1	Tol
H-00250	0.250	+0.000 / -0.001	0.250	0.562	0.194	0.370	+0.002 / -0.000	0.552	+0.002 / -0.000	0.203	+0.005 / -0.000
H-00250/N	0.250	+0.000 / -0.001	0.250	0.562	0.194	0.370	+0.002 / -0.000	0.552	+0.002 / -0.000	0.203	+0.005 / -0.000
H-00312	0.312	+0.000 / -0.001	0.312	0.625	0.194	0.432	+0.002 / -0.000	0.615	+0.002 / -0.000	0.203	+0.005 / -0.000
H-00312/N	0.312	+0.000 / -0.001	0.312	0.625	0.194	0.432	+0.002 / -0.000	0.615	+0.002 / -0.000	0.203	+0.005 / -0.000
H-00375	0.375	+0.000 / -0.001	0.375	0.687	0.194	0.495	+0.002 / -0.000	0.677	+0.002 / -0.000	0.203	+0.005 / -0.000
H-00375/N	0.375	+0.000 / -0.001	0.375	0.687	0.194	0.495	+0.002 / -0.000	0.677	+0.002 / -0.000	0.203	+0.005 / -0.000
H-00437/N	0.437	+0.000 / -0.001	0.437	0.750	0.194	0.557	+0.002 / -0.000	0.740	+0.002 / -0.000	0.203	+0.005 / -0.000
H-00500	0.500	+0.000 / -0.001	0.500	0.812	0.194	0.620	+0.002 / -0.000	0.802	+0.002 / -0.000	0.203	+0.005 / -0.000
H-00500/N	0.500	+0.000 / -0.001	0.500	0.812	0.194	0.620	+0.002 / -0.000	0.802	+0.002 / -0.000	0.203	+0.005 / -0.000

INCH SIZE  
ROD WIPERS



NOTE: MINIMUM LINE ORDER MAY APPLY



## H SERIES - AU 90A, NRB, FPM

Ref.Number	Rod diameter		Nominal Seal Dimensions			Housing Dimensions					
		Tol	d	D	h	d1	Tol	D1	Tol	h1	Tol
H-00500/V	0.500	+0.000 / -0.001	0.500	0.812	0.194	0.620	+0.002 / -0.000	0.802	+0.002 / -0.000	0.203	+0.005 / -0.000
H-00562/N	0.562	+0.000 / -0.001	0.562	0.875	0.194	0.682	+0.002 / -0.000	0.865	+0.002 / -0.000	0.203	+0.005 / -0.000
H-00625	0.625	+0.000 / -0.001	0.625	0.937	0.194	0.745	+0.002 / -0.000	0.927	+0.002 / -0.000	0.203	+0.005 / -0.000
H-00625/N	0.625	+0.000 / -0.001	0.625	0.937	0.194	0.745	+0.002 / -0.000	0.927	+0.002 / -0.000	0.203	+0.005 / -0.000
H-00625/V	0.625	+0.000 / -0.001	0.625	0.937	0.194	0.745	+0.002 / -0.000	0.927	+0.002 / -0.000	0.203	+0.005 / -0.000
H-00625-1/N	0.625	+0.000 / -0.001	0.625	1.000	0.203	0.760	+0.002 / -0.000	0.990	+0.002 / -0.000	0.218	+0.005 / -0.000
H-00626	0.625	+0.000 / -0.001	0.625	1.000	0.212	0.760	+0.002 / -0.000	0.990	+0.002 / -0.000	0.218	+0.005 / -0.000
H-00687/N	0.687	+0.000 / -0.001	0.687	1.000	0.194	0.808	+0.002 / -0.000	0.990	+0.002 / -0.000	0.203	+0.005 / -0.000
H-00750	0.750	+0.000 / -0.001	0.750	1.062	0.194	0.870	+0.002 / -0.000	1.052	+0.002 / -0.000	0.203	+0.005 / -0.000
H-00750/N	0.750	+0.000 / -0.001	0.750	1.062	0.194	0.870	+0.002 / -0.000	1.052	+0.002 / -0.000	0.203	+0.005 / -0.000
H-00750/V	0.750	+0.000 / -0.001	0.750	1.062	0.194	0.870	+0.002 / -0.000	1.052	+0.002 / -0.000	0.203	+0.005 / -0.000
H-00812/N	0.812	+0.000 / -0.001	0.812	1.187	0.212	0.947	+0.002 / -0.000	1.177	+0.002 / -0.000	0.218	+0.005 / -0.000
H-00875	0.875	+0.000 / -0.001	0.875	1.250	0.212	1.010	+0.002 / -0.000	1.240	+0.002 / -0.000	0.218	+0.005 / -0.000
H-00875/N	0.875	+0.000 / -0.001	0.875	1.250	0.212	1.010	+0.002 / -0.000	1.240	+0.002 / -0.000	0.218	+0.005 / -0.000
H-00937	0.937	+0.000 / -0.001	0.937	1.312	0.212	1.072	+0.003 / -0.000	1.302	+0.003 / -0.000	0.218	+0.005 / -0.000
H-00937/N	0.937	+0.000 / -0.001	0.937	1.312	0.212	1.072	+0.003 / -0.000	1.302	+0.003 / -0.000	0.218	+0.005 / -0.000
H-01000	1.000	+0.000 / -0.001	1.000	1.375	0.212	1.135	+0.003 / -0.000	1.365	+0.003 / -0.000	0.218	+0.005 / -0.000
H-01000/N	1.000	+0.000 / -0.001	1.000	1.375	0.212	1.135	+0.003 / -0.000	1.365	+0.003 / -0.000	0.218	+0.005 / -0.000
H-01000/V	1.000	+0.000 / -0.001	1.000	1.375	0.212	1.135	+0.003 / -0.000	1.365	+0.003 / -0.000	0.218	+0.005 / -0.000
H-01062/N	1.062	+0.000 / -0.001	1.062	1.437	0.212	1.197	+0.003 / -0.000	1.427	+0.003 / -0.000	0.218	+0.005 / -0.000
H-01125	1.125	+0.000 / -0.001	1.125	1.500	0.212	1.260	+0.003 / -0.000	1.490	+0.003 / -0.000	0.218	+0.005 / -0.000
H-01125/N	1.125	+0.000 / -0.001	1.125	1.500	0.212	1.260	+0.003 / -0.000	1.490	+0.003 / -0.000	0.218	+0.005 / -0.000
H-01187/N	1.187	+0.000 / -0.001	1.187	1.562	0.212	1.322	+0.003 / -0.000	1.552	+0.003 / -0.000	0.218	+0.005 / -0.000
H-01250	1.250	+0.000 / -0.001	1.250	1.625	0.212	1.385	+0.003 / -0.000	1.615	+0.003 / -0.000	0.218	+0.005 / -0.000
H-01250/N	1.250	+0.000 / -0.001	1.250	1.625	0.212	1.385	+0.003 / -0.000	1.615	+0.003 / -0.000	0.218	+0.005 / -0.000
H-01312/N	1.312	+0.000 / -0.001	1.312	1.687	0.212	1.447	+0.003 / -0.000	1.677	+0.003 / -0.000	0.218	+0.005 / -0.000
H-01375	1.375	+0.000 / -0.001	1.375	1.750	0.212	1.510	+0.003 / -0.000	1.740	+0.003 / -0.000	0.218	+0.005 / -0.000
H-01375/N	1.375	+0.000 / -0.001	1.375	1.750	0.212	1.510	+0.003 / -0.000	1.740	+0.003 / -0.000	0.218	+0.005 / -0.000
H-01375/V	1.375	+0.000 / -0.001	1.375	1.750	0.212	1.510	+0.003 / -0.000	1.740	+0.003 / -0.000	0.218	+0.005 / -0.000
H-01437/N	1.437	+0.000 / -0.001	1.437	1.812	0.212	1.572	+0.003 / -0.000	1.802	+0.003 / -0.000	0.218	+0.005 / -0.000
H-01500	1.500	+0.000 / -0.001	1.500	1.875	0.212	1.635	+0.003 / -0.000	1.865	+0.003 / -0.000	0.218	+0.005 / -0.000
H-01500/N	1.500	+0.000 / -0.001	1.500	1.875	0.212	1.635	+0.003 / -0.000	1.865	+0.003 / -0.000	0.218	+0.005 / -0.000
H-01562/N	1.562	+0.000 / -0.001	1.562	1.937	0.212	1.697	+0.003 / -0.000	1.927	+0.003 / -0.000	0.218	+0.005 / -0.000
H-01625	1.625	+0.000 / -0.001	1.625	2.000	0.212	1.760	+0.003 / -0.000	1.990	+0.003 / -0.000	0.218	+0.005 / -0.000
H-01625/N	1.625	+0.000 / -0.001	1.625	2.000	0.212	1.760	+0.003 / -0.000	1.990	+0.003 / -0.000	0.218	+0.005 / -0.000
H-01687/N	1.687	+0.000 / -0.001	1.687	2.062	0.212	1.823	+0.003 / -0.000	2.052	+0.003 / -0.000	0.218	+0.005 / -0.000
H-01750	1.750	+0.000 / -0.001	1.750	2.125	0.212	1.885	+0.003 / -0.000	2.115	+0.003 / -0.000	0.218	+0.005 / -0.000
H-01750/N	1.750	+0.000 / -0.001	1.750	2.125	0.212	1.885	+0.003 / -0.000	2.115	+0.003 / -0.000	0.218	+0.005 / -0.000
H-01750/V	1.750	+0.000 / -0.001	1.750	2.125	0.212	1.885	+0.003 / -0.000	2.115	+0.003 / -0.000	0.218	+0.005 / -0.000
H-01812/N	1.812	+0.000 / -0.001	1.812	2.187	0.212	1.947	+0.003 / -0.000	2.177	+0.003 / -0.000	0.218	+0.005 / -0.000
H-01875	1.875	+0.000 / -0.001	1.875	2.250	0.212	2.010	+0.003 / -0.000	2.240	+0.003 / -0.000	0.218	+0.005 / -0.000
H-01875/N	1.875	+0.000 / -0.001	1.875	2.250	0.212	2.010	+0.003 / -0.000	2.240	+0.003 / -0.000	0.218	+0.005 / -0.000
H-01937/N	1.937	+0.000 / -0.001	1.937	2.312	0.212	2.072	+0.003 / -0.000	2.302	+0.003 / -0.000	0.218	+0.005 / -0.000
H-02000	2.000	+0.000 / -0.001	2.000	2.375	0.212	2.135	+0.003 / -0.000	2.365	+0.003 / -0.000	0.218	+0.005 / -0.000
H-02000/N	2.000	+0.000 / -0.001	2.000	2.375	0.212	2.135	+0.003 / -0.000	2.365	+0.003 / -0.000	0.218	+0.005 / -0.000
H-02000/V	2.000	+0.000 / -0.001	2.000	2.375	0.212	2.135	+0.003 / -0.000	2.365	+0.003 / -0.000	0.218	+0.005 / -0.000
H-02062/N	2.062	+0.000 / -0.001	2.062	2.437	0.212	2.197	+0.003 / -0.000	2.427	+0.003 / -0.000	0.218	+0.005 / -0.000

NOTE: MINIMUM LINE ORDER MAY APPLY

INCH SIZE  
ROD WIPERS





## H SERIES - AU 90A, NBR, FPM

INCH SIZE  
ROD WIPERS



Ref.Number	Rod diameter		Nominal Seal Dimensions			Housing Dimensions					
		Tol.	d	D	h	d1	Tol.	D1	Tol.	h1	Tol.
H-02125	2.125	+ .000 / - .001	2.125	2.500	0.212	2.260	+ .003 / - .000	2.490	+ .003 / - .000	0.218	+ .005 / - .000
H-02125/N	2.125	+ .000 / - .001	2.125	2.500	0.212	2.260	+ .003 / - .000	2.490	+ .003 / - .000	0.218	+ .005 / - .000
H-02187	2.187	+ .000 / - .001	2.187	2.687	0.275	2.323	+ .003 / - .000	2.683	+ .003 / - .000	0.281	+ .005 / - .000
H-02187/N	2.187	+ .000 / - .001	2.187	2.687	0.275	2.323	+ .003 / - .000	2.683	+ .003 / - .000	0.281	+ .005 / - .000
H-02250	2.250	+ .000 / - .001	2.250	2.750	0.275	2.385	+ .003 / - .000	2.745	+ .003 / - .000	0.281	+ .005 / - .000
H-02250/N	2.250	+ .000 / - .001	2.250	2.750	0.275	2.385	+ .003 / - .000	2.745	+ .003 / - .000	0.281	+ .005 / - .000
H-02312/N	2.312	+ .000 / - .001	2.312	2.812	0.275	2.447	+ .003 / - .000	2.807	+ .003 / - .000	0.281	+ .005 / - .000
H-02375	2.375	+ .000 / - .001	2.375	2.875	0.275	2.510	+ .003 / - .000	2.870	+ .003 / - .000	0.281	+ .005 / - .000
H-02375/N	2.375	+ .000 / - .001	2.375	2.875	0.275	2.510	+ .003 / - .000	2.870	+ .003 / - .000	0.281	+ .005 / - .000
H-02437/N	2.437	+ .000 / - .001	2.437	2.937	0.275	2.572	+ .003 / - .000	2.932	+ .003 / - .000	0.281	+ .005 / - .000
H-02500	2.500	+ .000 / - .001	2.500	3.000	0.275	2.635	+ .003 / - .000	2.995	+ .003 / - .000	0.281	+ .005 / - .000
H-02500/N	2.500	+ .000 / - .001	2.500	3.000	0.275	2.635	+ .003 / - .000	2.995	+ .003 / - .000	0.281	+ .005 / - .000
H-02500/V	2.500	+ .000 / - .001	2.500	3.000	0.275	2.635	+ .003 / - .000	2.995	+ .003 / - .000	0.281	+ .005 / - .000
H-02562/N	2.562	+ .000 / - .001	2.562	3.062	0.275	2.697	+ .003 / - .000	3.057	+ .003 / - .000	0.281	+ .005 / - .000
H-02625	2.625	+ .000 / - .001	2.625	3.125	0.275	2.760	+ .003 / - .000	3.120	+ .003 / - .000	0.281	+ .005 / - .000
H-02625/N	2.625	+ .000 / - .001	2.625	3.125	0.275	2.760	+ .003 / - .000	3.120	+ .003 / - .000	0.281	+ .005 / - .000
H-02687/N	2.687	+ .000 / - .001	2.687	3.187	0.275	2.823	+ .003 / - .000	3.183	+ .003 / - .000	0.281	+ .005 / - .000
H-02750	2.750	+ .000 / - .001	2.750	3.250	0.275	2.885	+ .003 / - .000	3.245	+ .003 / - .000	0.281	+ .005 / - .000
H-02750/N	2.750	+ .000 / - .001	2.750	3.250	0.275	2.885	+ .003 / - .000	3.245	+ .003 / - .000	0.281	+ .005 / - .000
H-02812/N	2.812	+ .000 / - .001	2.812	3.312	0.275	2.947	+ .003 / - .000	3.307	+ .003 / - .000	0.281	+ .005 / - .000
H-02875/N	2.875	+ .000 / - .001	2.875	3.375	0.275	3.010	+ .003 / - .000	3.370	+ .003 / - .000	0.281	+ .005 / - .000
H-02937/N	2.937	+ .000 / - .001	2.937	3.437	0.275	3.073	+ .003 / - .000	3.433	+ .003 / - .000	0.281	+ .005 / - .000
H-03000	3.000	+ .000 / - .002	3.000	3.500	0.275	3.135	+ .003 / - .000	3.495	+ .003 / - .000	0.281	+ .005 / - .000
H-03000/N	3.000	+ .000 / - .002	3.000	3.500	0.275	3.135	+ .003 / - .000	3.495	+ .003 / - .000	0.281	+ .005 / - .000
H-03000/V	3.000	+ .000 / - .002	3.000	3.500	0.275	3.135	+ .003 / - .000	3.495	+ .003 / - .000	0.281	+ .005 / - .000
H-03125	3.125	+ .000 / - .002	3.125	3.625	0.275	3.260	+ .003 / - .000	3.620	+ .003 / - .000	0.281	+ .005 / - .000
H-03125/N	3.125	+ .000 / - .002	3.125	3.625	0.275	3.260	+ .003 / - .000	3.620	+ .003 / - .000	0.281	+ .005 / - .000
H-03250	3.250	+ .000 / - .002	3.250	3.750	0.275	3.385	+ .003 / - .000	3.745	+ .003 / - .000	0.281	+ .005 / - .000
H-03250/N	3.250	+ .000 / - .002	3.250	3.750	0.275	3.385	+ .003 / - .000	3.745	+ .003 / - .000	0.281	+ .005 / - .000
H-03375/N	3.375	+ .000 / - .002	3.375	3.875	0.275	3.510	+ .003 / - .000	3.870	+ .003 / - .000	0.281	+ .005 / - .000
H-03437/N	3.437	+ .000 / - .002	3.437	3.937	0.275	3.572	+ .003 / - .000	3.932	+ .003 / - .000	0.281	+ .005 / - .000
H-03500	3.500	+ .000 / - .002	3.500	4.000	0.275	3.635	+ .003 / - .000	3.995	+ .003 / - .000	0.281	+ .005 / - .000
H-03500/N	3.500	+ .000 / - .002	3.500	4.000	0.275	3.635	+ .003 / - .000	3.995	+ .003 / - .000	0.281	+ .005 / - .000
H-03500/V	3.500	+ .000 / - .002	3.500	4.000	0.275	3.635	+ .003 / - .000	3.995	+ .003 / - .000	0.281	+ .005 / - .000
H-03625	3.625	+ .000 / - .002	3.625	4.125	0.275	3.760	+ .003 / - .000	4.120	+ .003 / - .000	0.281	+ .005 / - .000
H-03625/N	3.625	+ .000 / - .002	3.625	4.125	0.275	3.760	+ .003 / - .000	4.120	+ .003 / - .000	0.281	+ .005 / - .000
H-03687/N	3.687	+ .000 / - .002	3.687	4.187	0.275	3.822	+ .003 / - .000	4.182	+ .003 / - .000	0.281	+ .005 / - .000
H-03750	3.750	+ .000 / - .002	3.750	4.250	0.275	3.885	+ .003 / - .000	4.245	+ .003 / - .000	0.281	+ .005 / - .000
H-03750/N	3.750	+ .000 / - .002	3.750	4.250	0.275	3.885	+ .003 / - .000	4.245	+ .003 / - .000	0.281	+ .005 / - .000
H-03875	3.875	+ .000 / - .002	3.875	4.375	0.275	4.010	+ .003 / - .000	4.370	+ .003 / - .000	0.281	+ .005 / - .000
H-03875/N	3.875	+ .000 / - .002	3.875	4.375	0.275	4.010	+ .003 / - .000	4.370	+ .003 / - .000	0.281	+ .005 / - .000
H-04000	4.000	+ .000 / - .002	4.000	4.500	0.275	4.135	+ .003 / - .000	4.495	+ .003 / - .000	0.281	+ .005 / - .000
H-04000/N	4.000	+ .000 / - .002	4.000	4.500	0.275	4.135	+ .003 / - .000	4.495	+ .003 / - .000	0.281	+ .005 / - .000
H-04000/V	4.000	+ .000 / - .002	4.000	4.500	0.275	4.135	+ .003 / - .000	4.495	+ .003 / - .000	0.281	+ .005 / - .000
H-04125/N	4.125	+ .000 / - .002	4.125	4.625	0.275	4.260	+ .003 / - .000	4.620	+ .003 / - .000	0.281	+ .005 / - .000
H-04250	4.250	+ .000 / - .002	4.250	4.750	0.275	4.385	+ .003 / - .000	4.745	+ .003 / - .000	0.281	+ .005 / - .000
H-04250/N	4.250	+ .000 / - .002	4.250	4.750	0.275	4.385	+ .003 / - .000	4.745	+ .003 / - .000	0.281	+ .005 / - .000

NOTE: MINIMUM LINE ORDER MAY APPLY



## H SERIES - AU 90A, NBR, FPM

Ref.Number	Rod diameter		Nominal Seal Dimensions			Housing Dimensions					
		Tol.	d	D	h	d1	Tol.	D1	Tol.	h1	Tol.
H-04375/N	4.375	+0.000 / -0.002	4.375	4.875	0.275	4.510	+0.003 / -0.000	4.870	+0.003 / -0.000	0.281	+0.005 / -0.000
H-04437/N	4.437	+0.000 / -0.002	4.437	4.937	0.275	4.472	+0.003 / -0.000	4.932	+0.003 / -0.000	0.281	+0.005 / -0.000
H-04500	4.500	+0.000 / -0.002	4.500	5.000	0.275	4.635	+0.003 / -0.000	4.995	+0.003 / -0.000	0.281	+0.005 / -0.000
H-04500/N	4.500	+0.000 / -0.002	4.500	5.000	0.275	4.635	+0.003 / -0.000	4.995	+0.003 / -0.000	0.281	+0.005 / -0.000
H-04500/V	4.500	+0.000 / -0.002	4.500	5.000	0.275	4.635	+0.003 / -0.000	4.995	+0.003 / -0.000	0.281	+0.005 / -0.000
H-04625/N	4.625	+0.000 / -0.002	4.625	5.125	0.275	4.760	+0.003 / -0.000	5.120	+0.003 / -0.000	0.281	+0.005 / -0.000
H-04750	4.750	+0.000 / -0.002	4.750	5.250	0.275	4.885	+0.003 / -0.000	5.245	+0.003 / -0.000	0.281	+0.005 / -0.000
H-04750/N	4.750	+0.000 / -0.002	4.750	5.250	0.275	4.885	+0.003 / -0.000	5.245	+0.003 / -0.000	0.281	+0.005 / -0.000
H-04875/N	4.875	+0.000 / -0.002	4.875	5.375	0.275	5.010	+0.003 / -0.000	5.370	+0.003 / -0.000	0.281	+0.005 / -0.000
H-05000	5.000	+0.000 / -0.002	5.000	5.500	0.275	5.135	+0.003 / -0.000	5.495	+0.003 / -0.000	0.281	+0.005 / -0.000
H-05000/N	5.000	+0.000 / -0.002	5.000	5.500	0.275	5.135	+0.003 / -0.000	5.495	+0.003 / -0.000	0.281	+0.005 / -0.000
H-05000/V	5.000	+0.000 / -0.002	5.000	5.500	0.275	5.135	+0.003 / -0.000	5.495	+0.003 / -0.000	0.281	+0.005 / -0.000
H-05125	5.125	+0.000 / -0.002	5.125	5.625	0.275	5.260	+0.003 / -0.000	5.620	+0.003 / -0.000	0.281	+0.005 / -0.000
H-05125/N	5.125	+0.000 / -0.002	5.125	5.625	0.275	5.260	+0.003 / -0.000	5.620	+0.003 / -0.000	0.281	+0.005 / -0.000
H-05187/N	5.187	+0.000 / -0.002	5.187	5.687	0.275	5.322	+0.003 / -0.000	5.682	+0.003 / -0.000	0.281	+0.005 / -0.000
H-05250	5.250	+0.000 / -0.002	5.250	5.750	0.275	5.385	+0.003 / -0.000	5.745	+0.003 / -0.000	0.281	+0.005 / -0.000
H-05250/N	5.250	+0.000 / -0.002	5.250	5.750	0.275	5.385	+0.003 / -0.000	5.745	+0.003 / -0.000	0.281	+0.005 / -0.000
H-05375/N	5.375	+0.000 / -0.002	5.375	5.875	0.275	5.510	+0.003 / -0.000	5.870	+0.003 / -0.000	0.281	+0.005 / -0.000
H-05500	5.500	+0.000 / -0.002	5.500	6.000	0.275	5.635	+0.003 / -0.000	5.995	+0.003 / -0.000	0.281	+0.005 / -0.000
H-05500/N	5.500	+0.000 / -0.002	5.500	6.000	0.275	5.635	+0.003 / -0.000	5.995	+0.003 / -0.000	0.281	+0.005 / -0.000
H-05500/V	5.500	+0.000 / -0.002	5.500	6.000	0.275	5.635	+0.003 / -0.000	5.995	+0.003 / -0.000	0.281	+0.005 / -0.000
H-05625/N	5.625	+0.000 / -0.002	5.625	6.125	0.275	5.760	+0.003 / -0.000	6.120	+0.003 / -0.000	0.281	+0.005 / -0.000
H-05750	5.750	+0.000 / -0.002	5.750	6.250	0.275	5.885	+0.003 / -0.000	6.245	+0.003 / -0.000	0.281	+0.005 / -0.000
H-05750/N	5.750	+0.000 / -0.002	5.750	6.250	0.275	5.885	+0.003 / -0.000	6.245	+0.003 / -0.000	0.281	+0.005 / -0.000
H-05875/N	5.875	+0.000 / -0.002	5.875	6.375	0.275	6.010	+0.003 / -0.000	6.370	+0.003 / -0.000	0.281	+0.005 / -0.000
H-06000	6.000	+0.000 / -0.002	6.000	6.500	0.275	6.135	+0.003 / -0.000	6.495	+0.003 / -0.000	0.281	+0.005 / -0.000
H-06000/N	6.000	+0.000 / -0.002	6.000	6.500	0.275	6.135	+0.003 / -0.000	6.495	+0.003 / -0.000	0.281	+0.005 / -0.000
H-06000/V	6.000	+0.000 / -0.002	6.000	6.500	0.275	6.135	+0.003 / -0.000	6.495	+0.003 / -0.000	0.281	+0.005 / -0.000
H-06250/N	6.250	+0.000 / -0.002	6.250	6.750	0.275	6.385	+0.003 / -0.000	6.745	+0.003 / -0.000	0.281	+0.005 / -0.000
H-06375/N	6.375	+0.000 / -0.002	6.375	6.875	0.275	6.510	+0.003 / -0.000	6.870	+0.003 / -0.000	0.281	+0.005 / -0.000
H-06500	6.500	+0.000 / -0.002	6.500	7.000	0.275	6.635	+0.003 / -0.000	6.995	+0.003 / -0.000	0.281	+0.005 / -0.000
H-06500/N	6.500	+0.000 / -0.002	6.500	7.000	0.275	6.635	+0.003 / -0.000	6.995	+0.003 / -0.000	0.281	+0.005 / -0.000
H-06750/N	6.750	+0.000 / -0.002	6.750	7.250	0.275	6.885	+0.003 / -0.000	7.245	+0.003 / -0.000	0.281	+0.005 / -0.000
H-07000	7.000	+0.000 / -0.002	7.000	7.500	0.275	7.135	+0.003 / -0.000	7.495	+0.003 / -0.000	0.281	+0.005 / -0.000
H-07000/N	7.000	+0.000 / -0.002	7.000	7.500	0.275	7.135	+0.003 / -0.000	7.495	+0.003 / -0.000	0.281	+0.005 / -0.000
H-07250/N	7.250	+0.000 / -0.002	7.250	7.750	0.275	7.385	+0.003 / -0.000	7.745	+0.003 / -0.000	0.281	+0.005 / -0.000
H-07500	7.500	+0.000 / -0.002	7.500	8.000	0.275	7.635	+0.003 / -0.000	7.995	+0.003 / -0.000	0.281	+0.005 / -0.000
H-07500/N	7.500	+0.000 / -0.002	7.500	8.000	0.275	7.635	+0.003 / -0.000	7.995	+0.003 / -0.000	0.281	+0.005 / -0.000
H-07750/N	7.750	+0.000 / -0.002	7.750	8.250	0.275	7.885	+0.003 / -0.000	8.245	+0.003 / -0.000	0.281	+0.005 / -0.000
H-08000	8.000	+0.000 / -0.002	8.000	8.500	0.275	8.135	+0.003 / -0.000	8.495	+0.003 / -0.000	0.281	+0.005 / -0.000
H-08000/N	8.000	+0.000 / -0.002	8.000	8.500	0.275	8.135	+0.003 / -0.000	8.495	+0.003 / -0.000	0.281	+0.005 / -0.000
H-08250/N	8.250	+0.000 / -0.002	8.250	8.750	0.275	8.385	+0.003 / -0.000	8.745	+0.003 / -0.000	0.281	+0.005 / -0.000
H-08500	8.500	+0.000 / -0.002	8.500	9.000	0.275	8.635	+0.003 / -0.000	8.995	+0.003 / -0.000	0.281	+0.005 / -0.000
H-08500/N	8.500	+0.000 / -0.002	8.500	9.000	0.275	8.635	+0.003 / -0.000	8.995	+0.003 / -0.000	0.281	+0.005 / -0.000
H-08750/N	8.750	+0.000 / -0.002	8.750	9.250	0.275	8.885	+0.003 / -0.000	9.245	+0.003 / -0.000	0.281	+0.005 / -0.000
H-09000/N	9.000	+0.000 / -0.002	9.000	9.500	0.275	9.135	+0.003 / -0.000	9.495	+0.003 / -0.000	0.281	+0.005 / -0.000
H-09250/N	9.250	+0.000 / -0.002	9.250	9.750	0.275	9.385	+0.003 / -0.000	9.745	+0.003 / -0.000	0.281	+0.005 / -0.000

NOTE: MINIMUM LINE ORDER MAY APPLY

INCH SIZE  
ROD WIPERS





## H SERIES - AU 90A, NBR, FPM

Ref.Number	Rod diameter		Nominal Seal Dimensions			Housing Dimensions					
		Tol.	d	D	h	d1	Tol.	D1	Tol.		h1
H-09500/N	9.500	+ .000 / - .002	9.500	10.000	0.275	9.635	+ .003 / - .000	9.995	+ .003 / - .000	0.281	+ .005 / - .000
H-09750/N	9.750	+ .000 / - .002	9.750	10.250	0.275	9.885	+ .003 / - .000	10.245	+ .003 / - .000	0.281	+ .005 / - .000
H-10000	10.000	+ .000 / - .002	10.000	10.500	0.275	10.135	+ .003 / - .000	10.495	+ .003 / - .000	0.281	+ .005 / - .000
H-10000/N	10.000	+ .000 / - .002	10.000	10.500	0.275	10.135	+ .003 / - .000	10.495	+ .003 / - .000	0.281	+ .005 / - .000

INCH SIZE  
ROD WIPERS



NOTE: MINIMUM LINE ORDER MAY APPLY